

The ROBERTI~ WALL BED



*Behind
the Door*

FOR SALE BY



ESTABLISHED 1901

Office and Factory
1250-1346 LONG BEACH AVENUE
LOS ANGELES, CALIFORNIA

Manufacturers of all types of Wall Beds and other nationally known products, including the famous Sanotuf Mattress, Sanotie Coil Spring and Sanoweb constructed living room furniture.



Progress

NEW beauty in design, greater adaptability of installation and a luxurious comfort are contributing factors to the ever increasing popularity of Roberti Wall Beds.

Constantly in touch with the most progressive builders and with an earnest desire to play our part in the advancement of the building industry, we have striven consistently to perfect the Roberti bed.

Each type of installation has been thoroughly tested in a practical way and our success is evidenced in the hundreds of fine hotels, apartments and homes now using Roberti beds.

If the installations listed on the following pages are not complete for your individual problem, we will consider it a privilege to assist you in arriving at a solution.

INTERSTATE MORTGAGE AND INVESTMENT CO.

6001 SANTA MONICA BLVD.
LOS ANGELES
CALIF.

February
11
1928

Roberti Bros. Incorporated,
1250-1346 Long Beach Avenue,
Los Angeles, California.

Gentlemen:

We desire to compliment you upon your new and improved styles of wall beds which you recently installed in our apartment buildings.

We have experimented with all makes of beds, but are now satisfied that the "ROBERTI BED" is the leader of them all. Your beds give to the user the maximum in sleeping comfort.

Very truly yours,

INTERSTATE MORTGAGE & INVESTMENT CO.

Richard L. Belton
President

A
T
T
N
T
I
O
N

EL MIRADOR PALM SPRINGS CALIFORNIA

January 23, 1928.

Mr. J. P. McConnell,
Roberti Bros., Inc.,
Los Angeles, California.

Dear Mr. McConnell:

Received your kind request for exteriors of the new El Mirador at Palm Springs. I am instructing Mr. Padilla of the Padilla Photo Company to send you two of his best exteriors, these I feel sure will answer the purpose in fine shape.

I have one of your wall beds in my room and it is giving the best satisfaction possible as I sleep very soundly in it every night. My other experiences with wall beds of various types have been truly disastrous.

With every good wish.

Yours very truly,

John Brown, Jr.
Publicity Director.

BARKER BROS. Contract Builders of Successful Homes LOS ANGELES

Roberti Brothers,
1346 Long Beach Avenue,
Los Angeles, California.

February 13, 1928

Attention: Mr. C. A. Ristenpart.

Gentlemen:

After having handled the Roberti Wall Bed exclusively in Southern California for the past two years we feel a few words of commendation are due you as to the superior quality and service attached to your product.

We have installed your beds in a great number of apartment houses and hotels in Southern California and have found that they have proven entirely satisfactory in all respects.

We are installing in our Contract Department at the present time a complete display of the various makes of your wall beds.

Trusting that our pleasant relations will continue as harmoniously as they have in the past and thanking you for your whole hearted co-operation, we are,

Yours very truly

BARKER BROS. INCORPORATED,


By *J. F. Robbins*
J. F. Robbins, Manager,
Contract Department

JFR:CF

Some Roberti Wall Bed Installations




(1) Owner, Interstate Mortgage & Inv. Co.; Builder, S. C. Clark. (2) Owner, Dr. Herman Lischner, San Diego; Architect & Builders, Prieses & Son. (3) Architect, Waldo Powers; Builder, L. M. Halper. (4) El Mirador Hotel, Palm Springs; Architect, Walker & Eisen. (5) Architect, Saul H. Brown; Builder, D. J. James. (6) Architect, Waldo Powers; Builder, L. M. Halper. (7) Architect, Louis Selden; Owner & Builder, Rogoff & Goerlnik Co. (8) Owner & Builder, Cooper Construction Co. (9) Architect, S. Chas. Lee; Owner, Universal Holding Co.



This type of twin installation eliminates entirely the objection of large wall openings and is particularly recommended. The two small doors present a charming outward appearance. Free access to the closet is possible at all times.

Do Not Hinge Doors.

ROBERTI TWIN BED INSTALLATION TWO OPENINGS



ALL DIMENSIONS NET AND IN THE CLEAR


SIZE OF BED	A-DOOR	B	C	D
3'-0" TWIN	3'-0" x 6'-8"	6'-2"	2'-6"	1'-6"



This plan is an excellent installation for Roberti Twin Door Beds. When the center panel door is open both beds can swing at the same time. Access to the closet is possible whether beds are up or down. When beds are out in the room the opening is closed, insuring privacy at all times.

Do Not Rabbet Doors. Do Not Hinge Doors.

ROBERTI TWIN BED INSTALLATION ONE OPENING



ALL DIMENSIONS NET AND IN THE CLEAR


SIZE OF BED	A-DOOR	B	C
3'-0" TWIN	3'-4" 6'-8"	1'-4"	2'-6"
3'-0" TWIN	3'-4" 6'-8½"	2'-4"	2'-8"



An ingenious twin bed installation perfected by Roberti Bros. whereby twin beds may be used with only a five foot opening. This installation is the most compact of its kind and is particularly adaptable where space is necessarily limited .

Do Not Rabbit Doors. . Do Not Hinge Doors.

ROBERTI TWIN BED INSTALLATION ONE OPENING



ALL DIMENSIONS NET AND IN THE CLEAR


SIZE OF BED	A-DOOR	B	C	D
3'-0" TWIN	2'-6" x 6'-8"	1'-9"	7'-6"	1'-4"



For this installation the door is pivoted off center so that when bed is in use there is sufficient space left in the closet opening to permit entrance therein. This type of installation is especially desirable where closet depth is limited.

Do Not Rabbet Doors.

ROBERTI OFF CENTER PIVOT BED INSTALLATION



ALL DIMENSIONS NET AND IN THE CLEAR



SIZE OF BED	A-DOOR	B	C
FULL	4'-4" 5'-0" x 6'-8"	1'-9"	2'-0"
INTERMEDIATE	4'-0" 4'-6" x 6'-8"	1'-8"	1'-10"
SINGLE	3'-0" 4'-0" x 6'-8"	1'-7"	1'-8"



The door used in this installation is pivoted in the center and revolves in a complete circle. When bed is in use the closet opening is completely closed. Bed is attached to back of door.

Do Not Rabbet Door.

ROBERTI CENTER PIVOT BED INSTALLATION



ALL DIMENSIONS NET AND IN THE CLEAR


SIZE OF BED	A-DOOR	B
FULL	4'-4" 5'-2" x 6'-8"	2'-8"
INTERMEDIATE	4'-0" 5'-0" x 6'-8"	2'-8"
SINGLE	3'-0" 4'-4" x 6'-8"	2'-3"




This is the most compact of the center pivot installations, using a 5'0" opening with 2'6" doors. The bed pivots on one door and when ready for use allows the other door to be closed, thus completely concealing the closet opening.

Do Not Rabbit Doors. Hinge One Door Only.

ROBERTI CENTER PIVOT BED INSTALLATION



DOORS MUST
OPEN CLEAR
BACK




ALL DIMENSIONS NET AND IN THE CLEAR

SIZE OF BED	A-DOOR	B	C
FULL	4'-4"	5'-0" x 6'-8"	2'-2"
INTERMEDIATE	4'-0"	4'-8" x 6'-8"	2'-0"
SINGLE	3'-0"	4'-0" x 6'-8"	1'-8"



Where entrance into dressing room or bath is desired the corner off center pivot bed is particularly recommended. Entrance is gained to closet thru a 2'6" door. Other 2'6" door carries the bed on a channel support. The weight of the bed is on the channel support and not upon the door itself. *Do Not Rabbit Doors. Hinge One Door Only.*

ROBERTI CORNER OFF CENTER PIVOT BED INSTALLATION



ALL DIMENSIONS NET AND IN THE CLEAR



SIZE OF BED	A-DOOR	B	C
FULL	4'-4"	2'-6" x 6'-8"	2'-0" x 3'-0"
INTERMEDIATE	4'-0"	2'-6" x 6'-8"	2'-0" x 2'-8"
SINGLE	3'-0"	2'-6" x 6'-8"	1'-8" x 2'-0"



The oscillating bed is a particularly excellent type. It allows free entrance to closet at all times without moving bed. When bed is in use the opening is entirely closed eliminating possibility of draft upon occupant and effectively concealing the closet. A two foot entrance door may be used if desired without increasing width of opening.

Do Not Rabbet Doors.

ROBERTI OSCILLATING PIVOT BED INSTALLATION



ALL DIMENSIONS NET AND IN THE CLEAR



SIZE OF BED	A-DOOR	B	C	D
4'-4" FULL	3'-4" 6'-8"	1'-8"	1'-6"	3'-6"



This installation gives access to the closet at all times through either a 1'6" or 2'0" door. The bed pivots on the 4'6" door. This plan is particularly desirable where lack of space prohibits more than one entrance to the dressing room and bath room. For a full size dressing room we suggest a 5'0" face to face closet depth. Bed pivots on 4'6" door and is center pivoted, closet opening is always closed. Ideal for sun porches.

Do Not Rabbet Doors.

ROBERTI CENTER PIVOT BED INSTALLATION





ALL DIMENSIONS NET AND IN THE CLEAR

SIZE OF BED	A-DOOR	B	C
FULL	4'-4" 4'-6" x 6'-8"	1'-6" x 6'-8"	2'-6"
INTERMEDIATE	4'-0" 4'-0" x 6'-8"	1'-6" x 6'-8"	2'-2"
SINGLE	3'-0" 3'-0" x 6'-8"	1'-6" x 6'-8"	1'-8"




The automatic type of recess bed is the only recess bed on the market that moves automatically out of the closet recess when being lowered. When bed is in use no part of it remains within the closet recess, a very desirable feature. If cross wall interferes with doors opening clear back, width of opening must be increased accordingly.

ROBERTI AUTOMATIC RECESS BED INSTALLATION



ALL DIMENSIONS NET AND IN THE CLEAR

SIZE OF BED	A-DOOR	B
FULL	4'-4" 2'-6" x 6'-8"	1'-7"
INTERMEDIATE	4'-0" 2'-3" x 6'-8"	1'-7"
SINGLE	3'-0" 1'-9" x 6'-8"	1'-7"




STATIONARY BED S-607-1


CABIN BED S-600-1

The stationary recess bed is similar to the automatic recess type with the exception that the head of the bed remains within the closet at all times. This bed is the least expensive type and the simplest to install. The four foot cabin bed pictured is particularly adaptable for mountain cabins, courts or apartments where a very inexpensive bed is required.

ROBERTI STATIONERY RECESS BED INSTALLATION




DOORS MUST
OPEN CLEAR
BACK



ALL DIMENSIONS NET AND IN THE CLEAR


SIZE OF BED	A-DOOR	B
FULL 4'-4"	4'-8"x6'-8"	1'-6"
INTERMEDIATE 4'-0"	4'-2"x6'-8"	1'-6"
SINGLE 3'-0"	3'-8"x6'-8"	1'-6"



R-607-3 BED


Roberti roll around beds mounted on large, easy rolling, rubber tired, ball bearing casters. Beds equipped with any type spring desired. Bed has automatic base adjustment and base is covered with heavy felt buffers to prevent marring of furniture. Automatic control rods hold bed absolutely rigid when down.

ROBERTI ROLL-A-ROUND BED INSTALLATION




ALL DIMENSIONS NET AND IN THE CLEAR

DETAIL NO.1					DETAIL NO.2				DETAIL NO.3	
SIZE OF BED	A-DOOR	B	C	D	A-DOOR	B	A-DOOR	B	A-DOOR	B
FULL	4'-4"	3'-0" x 6'-8"	2'-3"	5'-3"	3'-0"	4'-9" x 6'-8"	2'-0"	2'-4" x 6'-8"	4'-9"	
INTERMEDIATE	4'-0"	2'-10" x 6'-8"	2'-1"	4'-11"	2'-10"	4'-4" x 6'-8"	2'-0"	2'-4" x 6'-8"	4'-4"	
SINGLE	3'-3"	2'-6" x 6'-8"	1'-7"	4'-1"	2'-6"	3'-8" x 6'-8"	2'-0"	2'-4" x 6'-8"	3'-6"	



S-607-1



R-607-1

(R) ROLL AROUND BEDS

NOTE—All Beds listed below are priced with $1\frac{1}{8}$ " round tubing Ends. End-1.


$1\frac{1}{2}$ " round tubing ends, End-2, extra	R-602-1—Diamond link fabric
$1\frac{1}{2}$ " square tubing ends, End-3, extra	R-604-1—Way Sagless fabric
$1\frac{1}{2}$ " moulded tubing ends, End-4, extra	R-606-1—Coil Spring, hair pin tie
Special height on any bed, extra	R-607-1—Coil spring, helical tie, single deck
Special base on S or R bed, extra	R-608-1—Coil spring, helical tie, double deck

Base $22\frac{1}{2}$ " deep—Height over all 6'7" Made in 3'3", 4'0" and 4'4" sizes.

The Roberti roll around bed is so perfectly balanced that even a child can operate it.



R-608-4 DECORATED



R-606-2

GENERAL INFORMATION

FOR ALL types of wall bed installations shown on the preceeding pages the doors must be 6'8" high, finished 7'0" doors will permit of beds with greater spring length.

All doors for pivot beds should be 1 $\frac{3}{4}$ " thick and if 1 $\frac{3}{8}$ " doors are used a channel support is required.

DO NOT RABBET DOORS, WHERE PIVOT BEDS ARE USED.

All dimensions given are net and in the clear. The dimensions listed are in all cases the minimum that may be used and may be increased if desired, but under no circumstances may they be decreased.

In fitting doors to openings allow one inch clearance from floor to bottom of door; this to allow for carpets and fitting of pivots.

Twin beds may be had in 3'0" or 3'3" size.

The floor fixtures on all pivot doors are adjustable for sag of door and settling of building. A lock nut on adjustable pivot assures permanency of adjustment.

All pivot beds are equipped with automatic weight releasing device so that when bed is in use the weight and strain on door is completely eliminated.

The Roberti bed is made completely within our own factory and consequently is not an assembled bed. As large manufacturers of regular coil springs (the Sanotie) the spring equipment used on all beds is the finest of its kind. The patented Sanotie feature is utilized, assuring a spring of maximum comfort and durability.

We have been told that the Roberti wall bed is the most comfortable bed of its kind on the market. Because of the completeness of our manufacturing equipment, special sizes and special problems can be worked out at a minimum of cost.

A pleasing variety of wall bed ends are available from the 1 $\frac{1}{8}$ " round tubing ends to the most elaborate designs. All ends are finished in a high grade lacquer and can be furnished in any color combination desired. Ends are regularly finished in a beautiful light brown mahogany.

DESCRIPTION

NOTE—All Beds listed below are listed with 1 $\frac{1}{8}$ " round tubing
Ends. End-1.

1 $\frac{1}{2}$ " round tubing ends, End-2, extra
1 $\frac{1}{2}$ " square tubing ends, End-3, extra
1 $\frac{1}{2}$ " moulded tubing ends, End-4, extra
Special height on any bed, extra
Special base on S or R bed, extra

(R) ROLL AROUND BEDS

R-602-1—Diamond link fabric
R-604-1—Way Sagless fabric
R-606-1—Coil spring, hair pin tie
R-607-1—Coil spring, helical tie, single deck
R-608-1—Coil spring, helical tie, double deck
Base 22 $\frac{1}{2}$ " deep—Height over all 6'7"
Made in 3'3", 4'0" and 4'4" sizes.

(S) STATIONARY RECESS BEDS

Base of bed fastens to floor and bed operates up and down
in position.

S-600—Diamond link fabric
NOTE—Above special bed made in the 4'0" size only and
only with 1 $\frac{1}{8}$ " round tubing ends.
S-602-1—Diamond link fabric
S-604-1—Way Sagless fabric
S-606-1—Coil spring, hairpin tie
S-607-1—Coil spring, helical tie, single deck
S-608-1—Coil spring, helical tie, double deck
Base 22 $\frac{1}{2}$ " deep—Height over all 6'7".
Made in 3'0", 3'3", 4'0" and 4'4" sizes.
Installation extra—

(A) AUTOMATIC RECESS BED

Base of bed fastens to floor but bed itself glides forward as
it is lowered so that no part of it remains in the recess when
bed is in use.

A-606-1—Coil spring, hair pin tie
A-607-1—Coil spring, helical tie, single deck
A-608-1—Coil spring, helical tie, double deck
Base 18 $\frac{1}{2}$ " deep—Height over all 6'7".
Made in 3'3", 4'0" and 4'4" sizes.
Installation extra—

(P) PIVOT DOOR BED

Base of bed fastens to pivot door.
Base 16 $\frac{1}{2}$ " deep—Height over all 6'7".
P-606-1—Coil spring, hair pin tie
P-607-1—Coil spring, helical tie, single deck
P-608-1—Coil spring, helical tie, double deck
P-609-1—Frame only (for box springs)
Installation extra—
Special channel iron support, extra
Made in 3'0", 3'3", 4'0" and 4'4" sizes.

(C) OSCILLATING BED

C-606-1—Coil spring, hair pin tie
C-607-1—Coil spring, helical tie, single deck
C-608-1—Coil spring, helical tie, double deck
Made in 3'0", 3'3", 4'0" and 4'4" sizes.
Installation extra—

MATTRESS SIZES FOR 4'4" WALL BEDS

Roll Around—4'3" x 5'11".
Pivot Beds—4'3" x 6'0".
Stationary and Roll Under—4'3" x 6'0".



Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY
www.apti.org

For the

BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:



SOUTHEASTERN ARCHITECTURAL ARCHIVE
SPECIAL COLLECTIONS
HOWARD-TILTON MEMORIAL LIBRARY

<http://seaa.tulane.edu>